14. The articles should be supplied within a month from the date of receiving the order of the acceptance of the tender.

List of probable quantities of articles required for the use of the above hospitals for the year 1939-40.

Sl. No.	*Names of articles*	*Quantity*
1.	Bed Sheets, No. 260, Mysore or Minerva Mills	84
2.	Patients' Coats, Drill	90
3.	Dhoties, 7 yards, Mysore Mills	90
4.	Diapers (as per hospital sample)	115
5.	Draw Sheets, 27″ by 48″ drill (M. M.)	40
6.	Night Gowns (as per hospital sample)	8
7.	Palliasis, 6½ by 3½′ drill Mysore or Minerva Mills	30
8.	Patients' Sarees, white, 8 yards	36
9.	Pillow Cases (hospital sample)	30
10.	Face Towels do	60
11.	Girls' Skirts	6
12.	Female Jackets (as per hospital sample)	20
13.	Napkins do	25
14.	Honey comb towels, 3′ by 2′	6
15.	Operation Theatre Towels (hospital sample)	24
16.	Baby Wrappers .. .. do	24
17.	Dusters, 3′ by 3′	12

R. NAGENDRAN,
District Medical Officer.

MISCELLANEOUS DEPARTMENTS.

OFFICE OF THE INSPECTOR-GENERAL OF POLICE IN MYSORE, BANGALORE.

Notice No. T. C. 295—37-38, *dated* 19*th November* 1937.

The public are hereby informed that an Avery's Weigh-bridge to weigh motor vehicles is erected in the Office of the Inspector-General of Police in Mysore, Cenotaph Road, Bangalore City, and that motor vehicles brought for weighment will be weighed on payment of a fee of Rs. 10 for each weighment. A certificate of weighment will invariably be issued with each weighment so made.

F. A. HAMILTON,
Inspector-General of Police.

OFFICE OF THE *EX-OFFICIO* CONTROLLER OF PATENTS AND DESIGNS IN MYSORE, BANGALORE.

Notification No. F. Pat. 119—35-36, *dated* 14*th February* 1940.

RESTORATION PROCEEDINGS.

Notice is hereby given that an application has been made under Section 16 of the Mysore Patents and Designs Act, 1925, for the restoration of the following patent :—

119 of 1935-36.

"N. Nagaraja Rao and M. Padmanabha Rao."

The Patent ceased on 19th October 1939 owing to the non-payment of the renewal fee within the prescribed time. Any person may give notice of opposition to the restoration by leaving patent form No. 5 appended to the rules issued under the Mysore Patents and Designs Act of 1925, at the office of the *Ex-Officio* Controller of Patents and Designs in Mysore, Bangalore, within six weeks from the date of this notification.

L. MUNISWAMY,
For Ex-officio *Controller of Patents and Designs.*